## IN THE CLAIMS

Please amend the claims as follows:

- (Withdrawn) An anti-microbial composition consisting essentially of an antibody that 1. can bind to a microbe, and a pharmaceutically acceptable carrier, wherein the antibody can generate a reactive oxygen species when singlet oxygen ( ${}^{1}O_{2}$ ) is present.
- 2. (Withdrawn) The anti-microbial composition of claim 1 that further consists of a sensitizer molecule that can generate singlet oxygen ( ${}^{1}O_{2}$ ).
- (Withdrawn) The anti-microbial composition of claim 2, wherein the sensitizer 3. molecule is a pterin, a flavin, a hematoporphyrin, a tetrakis(4-sulfonatophenyl)porphyrin, a bipyridyl ruthenium(II) complex, a rose Bengal dye, a quinone, a rhodamine dye, a phthalocyanine, a hypocrellin, rubrocyanin, pinacyanol, allocyanin or a chlorin.
- (Withdrawn) The anti-microbial composition of claim 2, wherein the sensitizer 4. molecule is attached to the antibody.
- (Withdrawn) The anti-microbial composition of claim 2, wherein the sensitizer 5. molecule can generate a singlet oxygen when exposed to light.
- (Withdrawn) The anti-microbial composition of claim 1, wherein the antibody is a 6. human or a humanized antibody.
- (Withdrawn) The anti-microbial composition of claim 1, wherein the antibody is a Fab, 7. Fab', F(ab')2, Fv or sFv fragment.
- (Withdrawn) The anti-microbial composition of claim 1, wherein the reactive oxygen 8. species is a superoxide radical, hydroxyl radical or hydrogen peroxide.

- (Withdrawn) The anti-microbial composition of claim 1, wherein the reactive oxygen 9. species is ozone.
- (Withdrawn) The anti-microbial composition of claim 1, wherein the microbe is a gram 10. negative bacteria.
- (Withdrawn) The anti-microbial composition of claim 1, wherein the microbe is 11. Aeromonas spp., Bacillus spp., Bacteroides spp., Campylobacter spp., Clostridium spp., Enterobacter spp., Enterococcus spp., Escherichia spp., Gastrospirillum sp., Helicobacter spp., Klebsiella spp., Salmonella spp., Shigella spp., Staphylococcus spp., Pseudomonas spp., Vibrio spp., or Yersinia spp.
- (Withdrawn) The anti-microbial composition of claim 1, wherein the microbe is 12. associated with a staph infection, typhus, food poisoning, bascillary dysentery, pneumonia, cholera, an ulcer, diarrhea, hemorrhagic colitis, hemolytic uremic syndrome, or thrombotic thrombocytopenic purpura.
- (Withdrawn) The anti-microbial composition of claim 1, wherein the microbe is 13. Staphylococcus aureus, Salmonella typhi, Salmonella typhimurium, Escherichia coli, Escherichia coli O157:H7, Shigella dysenteria, Psuedomonas aerugenosa, Pseudomonas cepacia, Vivrio cholerae, Helicobacter pylori, a multiply-resistant strain of Staphylococcus aureus, a vancomycin-resistant strain of Enterococcus faecium, or a vancomycin-resistant strain of Enterococcus faecalis.
- (Withdrawn) The anti-microbial composition of claim 1, wherein the microbe is 14. Escherichia spp., Pseudomonas spp., or Salmonella spp.
- (Withdrawn) The anti-microbial composition of claim 1, wherein the microbe is 15. Escherichia coli, Salmonella typhimurium, or Psuedomonas aerugenosa.

- (Withdrawn) The anti-microbial composition of claim 1, wherein the microbe is a virus. 16.
- 17. (Withdrawn) The anti-microbial composition of claim 16, wherein the virus is a DNA virus.
- (Withdrawn) The anti-microbial composition of claim 16, wherein the virus is a RNA 18. virus.
- (Withdrawn) The anti-microbial composition of claim 16, wherein the virus is a viroid 19. or a prion.
- (Withdrawn) The anti-microbial composition of claim 16, wherein the virus is a 20. hepatitis A virus, hepatitis B virus, hepatitis C virus, human immunodeficiency virus, poxvirus, herpes virus, adenovirus, papovavirus, parvovirus, reovirus, orbivirus, picornavirus, rotavirus, alphavirus, rubivirus, influenza virus type A, influenza virus type B, flavivirus, coronavirus, paramyxovirus, morbillivirus, pneumovirus, rhabdovirus, lyssavirus, orthmyxovirus, bunyavirus, phlebovirus, nairovirus, hepadnavirus, arenavirus, retrovirus, enterovirus, rhinovirus or filovirus.
- (Withdrawn) A method of treating a microbial infection in a mammal comprising 21. administering to the mammal an anti-microbial composition consisting essentially of an antibody that can bind to a microbe and a pharmaceutically acceptable carrier, wherein the antibody can generate a reactive oxygen species when singlet oxygen (<sup>1</sup>O<sub>2</sub>) is present.
- 22. (Withdrawn) The method of claim 21, wherein the composition further consists of a sensitizer molecule that can generate singlet oxygen ( ${}^{1}O_{2}$ ).
- (Withdrawn) The method of claim 22, wherein the sensitizer molecule is a pterin, a 23. flavin, a hematoporphyrin, a tetrakis(4-sulfonatophenyl)porphyrin, a bipyridyl ruthenium(II) complex, a rose Bengal dye, a quinone, a rhodamine dye, a phthalocyanine, a hypocrellin,

rubrocyanin, pinacyanol, allocyanin or a chlorin.

- (Withdrawn) The method of claim 22, wherein the sensitizer molecule is attached to the 24. antibody.
- 25. (Withdrawn) The method of claim 21, wherein the antibody is a human or a humanized antibody.
- (Withdrawn) The method of claim 21, wherein the antibody is a Fab, Fab', F(ab')2, Fv 26. or sFv fragment.
- 27. (Withdrawn) The method of claim 21, wherein the reactive oxygen species is a superoxide radical, hydroxyl radical or hydrogen peroxide.
- (Withdrawn) The method of claim 21, wherein the reactive oxygen species is ozone. 28.
- 29. (Withdrawn) The method of claim 21, wherein the microbe is a gram negative bacteria.
- (Withdrawn) The method of claim 21, wherein the microbe is Aeromonas spp., Bacillus 30. spp., Bacteroides spp., Campylobacter spp., Clostridium spp., Enterobacter spp., Enterococcus spp., Escherichia spp., Gastrospirillum sp., Helicobacter spp., Klebsiella spp., Salmonella spp., Shigella spp., Staphylococcus spp., Pseudomonas spp., Vibrio spp., or Yersinia spp.
- (Withdrawn) The method of claim 21, wherein the microbe is associated with a staph 31. infection, typhus, food poisoning, bascillary dysentery, pneumonia, cholera, an ulcer, diarrhea, hemorrhagic colitis, hemolytic uremic syndrome, or thrombotic thrombocytopenic purpura.
- 32. (Withdrawn) The method of claim 21, wherein the microbe is Staphylococcus aureus, Salmonella typhi, Salmonella typhimurium, Escherichia coli, Escherichia coli O157:H7, Shigella dysenteria, Psuedomonas aerugenosa, Pseudomonas cepacia, Vivrio cholerae, Helicobacter

Dkt: 1361.027US1

pylori, a multiply-resistant strain of Staphylococcus aureus, a vancomycin-resistant strain of Enterococcus faecium, or a vancomycin-resistant strain of Enterococcus faecalis.

- 33. (Withdrawn) The method of claim 21, wherein the microbe is Escherichia spp., Pseudomonas spp., or Salmonella spp.
- (Withdrawn) The method of claim 21, wherein the microbe is Escherichia coli, 34. Salmonella typhimurium, or Psuedomonas aerugenosa.
- 35. (Withdrawn) The method of claim 21, wherein the microbe is a virus.
- 36. (Withdrawn) The method of claim 35, wherein the virus is a DNA virus.
- 37. (Withdrawn) The method of claim 35, wherein the virus is a RNA virus.
- 38. (Withdrawn) The method of claim 35, wherein the virus is a viroid or a prion.
- 39. (Withdrawn) The method of claim 35, wherein the virus is a hepatitis A virus, hepatitis B virus, hepatitis C virus, human immunodeficiency virus, poxvirus, herpes virus, adenovirus, papovavirus, parvovirus, reovirus, orbivirus, picornavirus, rotavirus, alphavirus, rubivirus, influenza virus type A, influenza virus type B, flavivirus, coronavirus, paramyxovirus, morbillivirus, pneumovirus, rhabdovirus, lyssavirus, orthmyxovirus, bunyavirus, phlebovirus, nairovirus, hepadnavirus, arenavirus, retrovirus, enterovirus, rhinovirus or filovirus.
- (Currently Amended) A method of generating ozone to inhibit the growth of a bacterium 40. comprising contacting the microbe with (i) an antibody that can bind to the bacterium and (ii) a source of singlet oxygen (<sup>1</sup>O<sub>2</sub>) to thereby generate ozone to inhibit the growth of a bacterium, wherein the source of singlet oxygen is not covalently attached to the antibody and the source of singlet oxygen would not, on its own, inhibit the growth of the bacteria when exposed to light.

Serial Number: 10/714,580 Filing Date: November 14, 2003

Title: ANTIMICROBIAL ACTIVITY OF ANTIBODIES

- 41. (Original) The method of claim 40, wherein the source of singlet oxygen ( ${}^{1}O_{2}$ ) is a sensitizer molecule.
- 42. (Original) The method of claim 41, wherein the sensitizer molecule is a pterin, a flavin, a hematoporphyrin, a tetrakis(4-sulfonatophenyl)porphyrin, a bipyridyl ruthenium(II) complex, a rose Bengal dye, a quinone, a rhodamine dye, a phthalocyanine, a hypocrellin, rubrocyanin, pinacyanol, allocyanin or a chlorin.
- 43. (Canceled)
- 44. (Original) The method of claim 40, wherein the antibody is a human or a humanized antibody.
- 45. (Original) The method of claim 40, wherein the antibody is a Fab, Fab', F(ab')2, Fv or sFv fragment.
- 46. (Cancelled)
- 47. (Cancelled)